## **EHYMER**

# TouringGT







The warm interior colouring and use of space found in the Touring GT is reminiscent of styling and functionality found in trailers all across Europe. The flooring is a beautiful dark vinyl, complimented by cream colour Ultraleather seats and Avonite countertops.

The exterior is made of lightweight fiberglass including clear coat finished paint package and includes inner wall insulation wrap. The compact size allows for easy storage in most garages and is fully functional with pop-top roof closed.

- Fuel saving light-weight composite structure
- Ample storage throughout, including extra storage under the bed. Bed platform lifts for easy access
- Full bathroom, includes shower, sink, vanity, mirror, toilet, and storage
- Comfortable dinette area seating converts to sleeping area
- Spacious overhead cabinets provide plenty of storage space, without sacrificing living space
- 8 dual pane windows provides a bright interior with natural light and includes shades and screens
- Full galley with fridge, two burner propane stove and sink
- LED lights throughout with dimmable living area lighting
- Options available: air conditioner, microwave, TV with antenna, and spare tire



#### Day time



#### Night time

• Features a king sized sleeping area and convertable dining area to sleep 4



#### Cabinetry

Flooring









#### Countertops

Kitchen











#### Interior fabrics





Seating

## Specifications

### Seats 4 | Sleeps 4

Exterior length (overall)	18' 11" (5,766 mm)
Exterior height for travel	7' 4" (2,235.2 mm)
Exterior width	6' 9" (2,057 mm)
Exterior height (open pop top roof)	8'5" (2,565 mm)
Exterior body length	15' 5" (4,700 mm)
Interior height (opened pop top roof)	6'5" (1,956 mm)
Interior length	15' (4,572 mm)
Interior width	6'6" (1,981 mm)
Trailer weight (dry)*	2,480 lbs. (1125 kg)
Cargo carrying capacity	720 lbs. (326 kg)
Gross Vehicle Weight Rating	3,200 lbs. (1451 kg)
Hitch weight (dry)*	250 lbs. (113 kg)
Fresh water capacity	87 L (23 U.S. gal.)
Grey water capacity	76 L (20 U.S. gal.)
Sleeping capacity	Up to 4
Hitch receiver	2" ball
Front sleeping area (L x W approx.)	75" x 48" (1,905 x 1,219 mm)
King size rear sleeping area (L x W approx.)	75" x 73" (1,905 x 1,854 mm)





## Interior features

Connections receptacle(s)	12 V socket, USB ports, 110V GFI
Flooring	Seamless vinyl floor covering
Lighting	12 V LED lighting
Monitor panel	Tank levels, battery level
Refrigerator (2 way)	110 V/ 12 V, 2.7 cu.ft. (76 L)
Storage	Under bed, upper cabinets, wardrobe
Stovetop	Two burner/recessed with flush cover
Wardrobe (W x D x H approx.)	7" x 24" x 63" (178 x 622 x 1,615 mm)
Outlets	110 V/usb/12V ports
Cassette toilet system	17 L (4.6 U.S. gal.)



## Exterior features

Cargo access doors	Insulated/locking cargo doors
Braking system	Surge Brakes (Hydraulic)
City water connection	Yes
Connection	7-pin connector
Covers	Custom TPO LP/battery cover
Exterior lighting	LED porch light
External power connection	30A power cord
Exterior shower	Yes
Exterior step	Manual, retractable
Fresh water pump	55 PSI, 3.0 GPM
Propane tank	Exterior 1 x 20 lbs (75 L)
Shell	Molded insulated fiberglass
Windows (include day/night shades/screens)	Acrylic, vented, dual pane, tinted (8)
Rims	14" alluminum rims
Tires	205/75R14
Suspension	Torison Axle



## Options

Air conditioner	7,300 BTU/hr. (undermount)
Microwave oven	110 V, 20 L/0.7 cu. ft., 700 W
Spare tire	205/75R14
TV and antenna	24" HD/swivel wall bracket





25 Reuter Drive 1.800.663.0066

Cambridge, Ontario info@erwinhymergroupna.com Canada N3E 1A9 gohymer.com

© ERWIN HYMER GROUP NORTH AMERICA, INC. reserves the right to make changes at any time, without notice, in colors, m aterials, equipment, specifications and models. This information is intended as a guide only; please visit gohymer.com for a complete list of specifications and options. Accessories shown in the photography are not included. Warranty is subject to the limitations and exclusions and not applicable on rental untis.

**GVWR (Gross Vehicle Weight Rating)** – is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

\*Dry weight may vary depending upon optional equipment installed.

